EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	79	reconnect$4 @ad<"20010613" host ticket validate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:19
S3	0	reconnect$4 @ad<"20010613" host ticket validate first adj0 connect$4 second adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:20
S4	5	reconnect$4 @ad<"20010613" host ticket validate initial adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:21
S5	5	reconnect$4 @ad<"20010613" reliable host ticket validate initial adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:22
S6	1	reconnect$4 @ad<"20010613" reliable persistent host ticket validate initial adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:22
S7	16	@ad<"20010613" first adj0 connect$4 host protocol validate re-establish$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 08:34
S8	2	@ad<"20010613" first adj0 connect$4 host protocol validate re-establish$4 second adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:28

S9	0	@ad<"20010613" first adj0 connect$4 host protocol adj0 service validate re-establish$4 second adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:31
S10	4	@ad<"20010613" first adj0 connect$4 host protocol adj0 service validate re-establish$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:31
S11	12	"6484206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:33
S12	2	"20020078208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:36
S13	5	"7010300"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:37
S14	0	@ad<"20010613" first adj0 connect$4 host protocol validate connect$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:39
S15	10	@ad<"20010613" connect$4 host protocol validate connect$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:39
S16	10	@ad<"20010613" multiple with connect$4 host protocol validate connect$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:45

S17	0	@ad<"20010613" multiple adj0 connect$4 host protocol validate connect$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:53
S18	0	@ad<"20010613" multiple adj0 connect$4 host protocol connect$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:53
S19	4	@ad<"20010613" multiple adj0 connect$4 host protocol disrupt$ adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:54
S20	6	@ad<"20010613" connect$4 mobile host protocol disrupt$ adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:27
S21	0	@ad<"20010613" connect$4 mobile host protocol disrupt$ adj0 connect$4 CDMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:30
S22	802	@ad<"20010613" connect$4 mobile host protocol CDMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:30
S23	34	@ad<"20010613" connect$4 mobile host protocol CDMA re-establish	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:30
S24	33	@ad<"20010613" connect$4 mobile host protocol CDMA re-establish multiple	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:31

S25	0	@ad<"20010613" connect$4 mobile host protocol CDMA re-establish multiple adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:31
S26	33	@ad<"20010613" connect$4 mobile host protocol CDMA re-establish multiple	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:31
S27	12	@ad<"20010613" connect$4 mobile host protocol CDMA session adj0 identif$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:44
S28	10	@ad<"20010613" connect$4 mobile multiple host protocol CDMA session adj0 identif $6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:44
S29	133	@ad<"20010613" connect$4 mobile multiple host protocol session adj0 identif$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:53
S30	12	@ad<"20010613" mobile multiple adj0 connect$4 host protocol session adj0 identif$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:54
S31	36	@ad<"20010613" multiple adj0 connect$4 host protocol session adj0 identif$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:57
S32	0	reconnect$4 @ad<"20010613" reliable persistent multiple with host ticket validate initial adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 11:43

S33	12	@ad<"20010613" multiple adj0 server$3 connect$4 host protocol disrupt$ adj0 connect$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 11:44
S34	1	@ad<"20010613" multiple adj0 server$3 connect$4 host protocol disrupt$ adj0 connect$4 re-establish	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 11:47
S35	7	reconnect$4 @ad<"20010613" host re-authenticat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 14:18
S36	117	@ad<"20010613" connect$4 mobile host protocol CDMA "709"/$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/26 10:44
S37	12	@ad<"20010613" connect$4 mobile host protocol CDMA 709/230. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/26 10:44
S38	72	@ad<"20010613" connect$4 mobile host protocol CDMA re-establish$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:34
S39	2	@ad<"20010613" connect$4 mobile host protocol CDMA re-establish$3 709/230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:34
S40	0	@ad<"20010613" connect$4 mobile host protocol CDMA re-establish$3 distrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:35

S41	36	@ad<"20010613" connect$4 mobile host protocol CDMA re-establish$3 disconnect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:35
S42	3	@ad<"20010613" connect$4 mobile host protocol CDMA re-establish$3 same disconnect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:35
S43	0	@ad<"20010613" connect$4 mobile host protocol CDMA re-establish$3 same disconnect$3 709/230. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:36
S44	94	@ad<"20010613" first adj0 connect$4 re-establish$4 with connect $4 second adj0 connect $4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:27
S45	11	@ad<"20010613" first adj0 connect$4 re-establish$4 with connect $4 second adj0 connect $4 maintain$3 with second	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:27
S46	1	@ad<"20010613" first adj0 connect$4 re-establish$4 with client with connect$4 second adj0 connect$4 maintain $3 with second	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:29
S47	0	@ad<"20010613" client adj5 connect$4 re-establish$4 adj5 client adj4 connect$4 host adj0 connect$4 maintain$3 with host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:31
S48	3	@ad<"20010613" client adj5 connect$4 re-establish$4 adj5 client adj4 connect$4 server adj0 connect$4 maintain $3 with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:31

S49	3	@ad<"20010613" client adj5 connect$4 re-establish$4 adj5 client adj4 connect$4 maintain$3 with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:38
S50	0	@ad<"20010613" client adj5 connect$4 re-establish$4 adj5 client adj4 connect$4 maintain$3 with host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:38
S51	2	@ad<"20010613" client adj5 connect$4 re-establish$4 adj5 client adj4 connect$4 maintain$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:39
S52	0	@ad<"20010613" client adj5 link$4 re-establish$4 adj5 client adj4 link$4 maintain$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:39
S53	6	@ad<"20010613" client adj5 link$4 re-establish$4 adj5 client maintain$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:40
S54	0	@ad<"20010613" client adj5 link$4 re-coonect$4 adj5 client maintain$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:43
S55	0	@ad<"20010613" client adj5 link$4 re-connect$4 adj5 client maintain$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:43
S56	0	@ad<"20010613" client adj5 link$4 re-connect$4 adj5 client maintain$3 with connect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:43

| S57 | 3 | @ad<"20010613" client adj5 connect$4 re-connect$4 adj5 client maintain$3 with connect $3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/19 13:43 |

6/30/2009 2:39:57 PM
C:\Documents and Settings\ovostal\My Documents\EAST\Workspaces\10711646.wsp